Sl. No.	Name of produce	Approximate quentity
	Second group produce of food grains, etc.	
1	Paddy varieties (fine)	420 seers
2	Paddy varieties (coarse)	275 ,,
3	Arecanut	4½ maunds
4	Bengal gram	125 seers
5	Wheat	30 ,,
6	Linseed	50 ,,
7	Sun flower seeds	200 ,,
8	Safflower seeds	35 ,,
9	Jola, Mungar, Maldandi and sorgum No. 2	1,700 ,,

T. KRISHNASWAMY,
Manager.

CENTRAL COLLEGE HOSTEL, BANGALORE.

Abstract Notification dated 23rd May 1936.

Sealed tenders for the supply of articles required for use of the Central College Hostel, Bangalore, during the year 1936-37, will be received up to 10th June 1936, by the Warden, Central College Hostel, Bangalore. For details *vide* Notification dated the 16th May 1936, page 738 of the *Mysore Gazette*, dated 21st May 1936.

L. NARAYANA RAO,
Warden.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER, BANGALORE.

Abstract Notification dated 20th May 1936.

Attention of the Public is invited to the detailed Notification, regarding Purchase of Steel Socket, published in the *Mysore Gazette*, dated 28th May 1936, Part VI and Page No. 781-782, due on 15th June 1936, at the Office of the Chief Electrical Engineer, up to 2 P.M. Earnest money Rs. 100.

Notice dated 26th May 1936.

1. Sealed tenders will be received at the Office of the Chief Electrical Engineer, Bangalore and the same should be superscribed with name of the work given below.
2. The Plans, Detailed Estimates and Conditions may be obtained at the Office of the undersigned at all working hours.
3. The tenders should be in the form of a statement as given below showing rates in figures and in words, at which the different items specified will be executed.
4. The tenders may be rejected or accepted in full or in part without any reasons being assigned therefor.
5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Chief Electrical Engineer. No enquiries regarding the acceptance or rejection of a tender will receive any reply. The earnest money of rejected tenders will be returned.
6. Within three days of the acceptance of the tender, the successful tenderer will be required to execute the usual contract bond, failing which his tender will be considered cancelled and the earnest money will be forfeited.
7. The materials to be used should be of the best English or American make and conform to the requirements of the Departmental rules and specifications. Samples should be sent with tenders. When the samples are sent, mention should be made of Manufacturers or Makers Catalogue.
8. Name of work: Providing electric lights to the Batchelors' quarters at Mysore Infantry at Hebbal, Bangalore.
9. Last date and time of receiving tender is 15th June 1936 at 3-30 P.M.
10. Time and date of opening of tenders in public at 4-30 P.M. on 15th June 1936.

11. Earnest money required with tender is Rs. 40.
12. Time for completing the work from date of accepting the tender is one week.
13. Details of the work to be executed as per specification given below.

TENDER.

Providing electric lights to the Batchelors' Quarters at Mysore Infantry at Hebbal, Bangalore.

Serial No.	Particulars	Unit	Quantity
1	Supplying and wiring in $\frac{3}{4}''$ brazed conduit using No. 10 B. & S. stranded insulated wire for 600 volt from pole to meter board ..	R.ft	165
2	Supplying and fixing a Teakwood meter board, $1\frac{1}{2}' \times 1\frac{1}{4}' \times 3''$ mounted with 2 of 15 amps. D.P. iron clad switch with fuses	No.	2
3	Supplying and wiring in $2'' \times 1''$ Teakwood casing and capping using No. 7-22 S.W.G. insulated wire for lighting outlets	,,	59
4	Do do for controlling switches with 5 amps. bakalite tumbler switches (reinforced)	,,	59
5	Supplying and fixing —		
	(*a*) $1\frac{1}{2}' \times \frac{5}{8}''$ rigid iron pendent with B.C. lampholder P.B. and heavy brass plate	,,	47
	(*b*) Water tight fitting with B.C. lampholder and glass dome complete	,,	11
	(*c*) Water tight fitting with B.C. lampholder, complete fixed on the compound wall with suitable bracket	,,	1
	(*d*) Tin enamel shade	,,	47
	(*e*) Lamp M.F.B.C. 220-volts 60 watts, clear $\frac{1}{2}$ watt. gas filled ..	,,	59
6	Supplying and fixing on teakwood board, $6'' \times 8'' \times 1''$ 10 to 15 amps., D.P. ironclad switch with fuses	,,	1
7	Grounding	L.S.	
8	Masonry, plastering and colour washing	,,	

Notice dated 27th May 1936.

1. Sealed tenders typed, in triplicate, will be received at the Office of the Chief Electrical Engineer, Bangalore, and the same should be superscribed with name of the work given below.

2. The Plans, Detailed Estimates and Conditions may be obtained at the Office of the undersigned at all working hours.

3. The tenders should be in the form of a statement as given below showing rates in figures and in words, at which the different items specified will be executed.

4. The tenders may be rejected or accepted in full or in part without any reasons being assigned therefor.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Chief Electrical Engineer, Bangalore. No enquires regarding the acceptance or rejection of a tender will receive any reply. The earnest money of rejected tenders will be returned.

6. Within three days of the acceptance of the tender, the successful tenderer will be required to execute the usual contract bond failing which his tender will be considered cancelled and the earnest money will be forfeited.

7. The materials to be used should be of the best English or American make and conform to the requirements of the Departmental rules and specifications. Samples should be sent with tenders. When the samples are sent, mention should be made of Manufacturers or Makers Catalogue.

8. Name of work: Providing electric lights to the Officers' Quarters in the Mysore Infantry at Hebbal, Bangalore.

9. Last date and time of receiving tenders is 16th June 1936 at 3 P.M.

10. Time and date of opening of tenders in public at 4 P.M. on 16th June 1936.

11. Earnest money required with tender is Rs. 100 (One Hundred only).

12. Time for completing the work from date of accepting the tender is ten days.

13. Details of the work to be executed as per specification given below.

Tender for providing Electric Lights to the Officers' Quarters in the Mysore Infantry at Hebbal, Bangalore.

Serial No.	Particulars	Unit	Quantity
	EXTERIOR WORK.		
1	Supplying and fixing 24 ft. S.M. Rail, 41¼ lbs. section	No.	8
2	Supplying and fixing two Pin DCA with white or brown insulators, complete for steel poles and rails	,,	18
3	Do do two pin outrigger with brown or white insulators, complete	,,	2
4	Do do guy sets with seven strand guy wire ..	,,	8
5	Supplying and running overhead mains using No. 8 B. & S. bare copper wire (two wires)	R.ft.	650
	INTERIOR WORK.		
6	Supplying and running mains in ⅝″ silver-lac brazed conduit with bends complete using No. 7-22 S.W.G.V.I.R. wire for 600-v. pressure 2,500 MG. as far as the meter board	,,	1,350
7	Supplying and fixing T.W. meter board, 1¼′×1¼′×3″ mounted with 10 amp. D.P. iron clad switch with fuses complete ..	No.	22
8	Supplying and wiring in T.W. casing and capping (2″×1″) using No. 14 B.& S. insulated wire for lighting outlets	,,	142
9	Do do for controlling switches with bakelite 5 amps. tumbler switches brown	,,	142
10	Supplying and fixing :—		
	(*a*) Five amp. ceiling roses	,,	120
	(*b*) Flexible cord, 4 to 6 ft.	,,	120
	(*c*) BCCG. lampholder bakelite reinforced	,,	120
	(*d*) Tin enamelled shades, 9″	,,	120
	(*e*) Water tight fitting with B.C. lampholder and glass dome, complete	,,	22
	(*f*) Lamp M.F., B.C., 220 volts, 20—15 watts, ½ watt type English or American make	,,	142
11	Grounding the pipes and I.C. switches	L.S.	
12	Masonry and patching, colour-washing	,,	

Notice dated 27th May 1936.

1. Sealed tenders will be received at the Office of the Chief Electrical Engineer, Bangalore, and the same should be superscribed with name of the work given below.

2. The plans, detailed estimates and conditions may be obtained at the Office of the undersigned at all working hours.

3. The tenders should be in the form of a statement as given below showing rates in figures and in words, at which the different items specified will be executed.

4. The tenders may be rejected or accepted in full or in part without any reasons being assigned therefor.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Chief Electrical Engineer, Bangalore. No enquiries regarding the acceptance or rejection of a tender will receive any reply. The earnest money of rejected tenders will be returned.

6. Within three days of the acceptance of the tender, the successful tenderer will be required to execute the usual contract bond failing which his tender will be considered cancelled and the earnest money will be forfeited.

7. The materials to be used should be of the best English or American make and conform to the requirements of the departmental rules and specifications. Samples should be sent with tenders. When the samples are sent mention should be made of Manufacturers or Makers Catalogue.

8. Name of work : Providing Lightning Conductor to the District Board Office Building, Bangalore.

9. Last date and time of receiving tender is 15th June 1936 at 3-30 P.M.

10. Time and date of opening of tenders in public at 4-30 P.M. on 15th June 1936.

11. Earnest money required with tender is Rs. 25 (Twenty-five only).

12. Time for completing the work from date of accepting the tender is one week.

13. Details of the work to be executed as per specification given below.

Providing Lightning Conductor to the District Board Office Building, Kempegowda Road, Bangalore.

Serial No.	Name of materials, etc.	Unit	Quantity
1	Supplying and running 1″×⅛″ copper tape with copper clamps 1/16″×1″ forged at 1½ ft. apart with brass screws	R.ft.	450
2	Supplying and fixing 2″ galvanised pipe for the finials 6 ft. length ..	No.	3
3	Do do copper finials with prongs (electro-plated) 4″ dia. and holding plug, complete	,,	3
4	Do do copper pipe external diameter 1″ and internal diameter ¾″. Six feet long with necessary copper holding clamps, brass bolts and nuts	,,	3
5	Supplying and fixing copper plates 2′×2′×⅛″ tinned, rivetted, complete for grounding	,,	3
6	Do do 2″×9′ grounding pipe tapered at one end and having holes filled with common salt	,,	1
7	Supplying and filling the grounding plate or pipe with one bag of charcoal, half cubic yard of sand, 10 seers of common salt. (This is for each grounding)	,,	3
8	Masonry and plastering, patching, etc., wherever necessary with colour-washing in match	L.S.	

N.B.—Copper tape should be imbedded or put in pipe to a height of 10 ft. above the ground wherever necessary as per instructions. Copper tape wherever concealed must be tinned.

(Grounding should be done 9 ft. below the ground level in the presence of the officer in charge of the work.)

M. HAYATH,
For *Chief Electrical Engineer.*

OFFICE OF THE *EX-OFFICIO* CONTROLLER OF PATENTS AND DESIGNS, BANGALORE.

No. C_2 Pat. 116—35-36, *dated* 21*st May* 1936.

NOTICE OF ACCEPTANCE OF APPLICATION FOR PATENT.

No. 116 *of* 1935-36.

Notice is hereby given that all persons interested in opposing the grant of a patent on the application referred to below may at any time within three months of the date of his notification give notice to the *Ex-officio* Controller of Patents and Designs in Mysore, in the prescribed form No. 5 of such opposition.

Mr. B. M. Gopalaswami, New Oil Mills, Malleswaram, Bangalore. "A New Method for denaturing Alcohol."

Any one desiring to inspect copy of the Specification of the above may call at the Office of the *Ex-officio* Controller of Patents and Designs on any working day between 11 A.M. and 5 P.M. A sum of rupee one will be charged for such inspection.

S. ABDUL WAJID,
Ex-officio *Controller of Patents and Designs.*